GB

Ammeraal Beltech
Innovation & Service in Belting

ZipLink® - Quickest splice method ever!

Quick and easy splicing
Easy to replace and repair
Minimum downtime

uni chains

ZipLink® - Increase your production time

***Ammeraal Beltech* is a leading manufacturer of process and conveyor belting with an established reputation for developing innovative solutions for belting applications.**

Working closely with OEM's and end users *Ammeraal Beltech* have developed a range of *ZipLink*® belts: a special design link fabric in combination with top covers giving superior performance. Main benefit is the striking increase of your production time.

ZipLink®, ideal for whatever application where belt replacement time is an issue, for example:

» **Cardboard industry**
bridge raising and bridge, slitting, cross cutting, box folding, stacking, delivery
» **Wood processing**
grinding, sanding, polishing, braking, sawing, painting, pre-compressing
» **Airports & logistics**
scanning, check in, collectors, inclined transport, airplane loading
» **Tobacco processing**
conditioning, weighing, transport
» **Magnetic conveyors**
» **Food applications**

Belts that joint instantly
Easy, no specific training

AMMERAAL BELTECH **ZIPLINK® BELT RANGE**	» Shortest production downtime » Reduced maintenance time and cost » Extended belt service life » Ideal for difficult locations	**Increased production time**
	» Protects both product and conveyor from being damaged » Extra high stability allows for easier tracking » Safe on-site installation, no heavy equipment needed » No loss of strength in the joint area	**Operational safety**
	» Very low friction over the entire belt length leading to much smoother economical operation	**Less energy consumption**
	» Strongest in-house splicing; no outside fitters required » No need for any special tools or presses » Possible repair of damaged belt sections	**Economical use**
	» Choice of top cover materials tuned to the application » *ZipLink*® belts have a proven track record worldwide	**Proven technology**

ZipLink® is an innovative belt range which is specially designed to offer benefits in a variety of different industries. Quick and simple installation or repair help to lower costs and reduce downtime. The design allows for repair or replacement of just small sections of the belt.

The largest range of covers ... and more on demand

Range of *Ziplink*® Belts

Article no.	Nomenclature										Thickness [mm]	Hardness top cover [shore]	Min. pulley dia. flexing [mm]	Min. pulley dia. back flexing [mm]	Temperature min. [°C]	Temperature max. [°C]
514927	Elastoflex	EZP	10/1	0	+	A19		beige	/ 50 Sh		9.0	50A	100	120	-15	80
514616	Elastoflex	EZP	10/1	0	+	P6		beige			8.0	65A	100	120	-15	80
560165	Fabric	EZP	10/1	01	+	0		black			3.6	–	64	100	-40	121
583040	Fabric	EZP/C	10/2	0	+	0		white	FG		3.9	–	80	80	-15	90
583010	Flexam	EZP	10/1	0	+	10		black	M2 FR		3.5	80A	50	80	-15	80
583050	Flexam	EZP	10/1	0	+	A20		black	FR		8.4	65A	100	150	-15	80
583055	Flexam	EZP	10/1	0	+	A66		black	FR		8.8	65A	100	150	-15	80
583030	Flexam	EZP	10/1	0	+	A79		grey			7.5	55A	100	150	-15	80
560124	Nitrile	EZP	10/1	01	+	C57		white	FG		4.0	60A	75	100	-18	121
560119	Nitrile	EZP	10/1	01	+	08		white	CR FG HR		3.4	60A	75	100	-18	121
560121	Nitrile	EZP	10/1	01	+	C37		brown			6.3	50A	75	125	-18	121
560141	Nitrile BX	EZP	10/1	0	+	05		blue	FG		3.4	75A	50	50	-18	121
560136	Nitrile BX	EZP	10/1	0	+	C37	(NI)	blue			6.2	70A	75	120	-18	121
560120	Nitrile BX	EZP	10/1	01	+	05		blue			2.6	70A	50	75	-18	121
560110	Nitrile BX	EZP	10/1	01	+	C37	(NI)	blue			6.3	70A	75	120	-18	121
583020	Nonex	EZP	10/1	0	+	10		white	FG		3.5	65A	50	80	-15	80
560122	NR	EZP	10/1	01	+	32		red			5.1	40A	100	125	-40	121
560111	NR	EZP	10/1	01	+	C37		natural	CR		6.3	40A	75	100	-40	121
560116	NR	EZP	10/1	01	+	C52		tan	CR		7.2	45A	100	175	-40	121
560028	Peflex	EZP	10/1	01	+	03		tan	CR FG		2.4	85A	50	125	-51	82
514615	Pletex	EZP	10/1	0	+	30		red			6.0	35A	60	80	-15	80
560127	SBR	EZP	10/1	0	+	C37		black			5.3	45A	75	100	-40	121
560129	SBR	EZP	10/1	01	+	C37		black	CR		6.3	45A	75	110	-40	121
560030	Silam	EZP	10/1	01	+	10		white	CR FG HR		3.3	63A	75	125	-54	176

CR = cold resistant, FG = foodgrade, FR = flame retardant, HR = heat resistant

Easy replacement of the complete belt or of small sections in the event of damage.

Achieve considerable cost savings: easy to use tooling kit; no specialised outside fitters required.

ZipLink® is a breakthrough in belting design that combines cover materials with a structured link mesh that can be easily spliced at any length into a continuous belt without the need for special tools, presses or other equipment.

The *ZipLink*® construction eliminates points of weakness because there is no loss of strength in the splice area, making the belts stronger so they last longer than belts of other seamed or fused materials.

ZipLink® provides long life and flexibility for multiple applications. The belts can easily and quickly be changed without accruing significant downtime or expensive overtime. After converting to *ZipLink*®, time and personnel required to change belts may reduce by more than half.

Complete toolbox available, including instruction CD

Working instruction

Score the back and lubricate the pin.



Pop the pin out at 1.5 cm from the edge.

Gently pull the pin out using pliers.

Carefully cut the top cover.

Press the ends back together firmly.

Pass the wire through and cut the excess.

Local Contacts

International Head Office:

Ammeraal Beltech Holding B.V.
Handelsstraat 1
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands

T +31 72 5751212
F +31 72 5716455
info@ammeraalbeltech.com
www.ammeraalbeltech.com

Austria
T +43 171728 133
info@ammeraalbeltech.at
www.ammeraalbeltech.at

Belgium
T +32 2 466 0300
salesgb@ammeraal-beltech.be
www.ammeraalbeltech.be

Canada
T +1 905 890 1311
info@ammeraalbeltech.ca
www.ammeraalbeltech.ca

Chile
T +56 233 12900
ventas@ammeraalbeltech.cl
www.ammeraalbeltech.cl

China
T +86 512 8287 2709
info@ammeraalbeltech.com.cn
www.ammeraalbeltech.com.cn

Czech Republic
T +420 567 117 211
prodej@ammeraalbeltech.cz
www.ammeraalbeltech.cz

Denmark
T + 45 75 72 31 00
admin@unichains.com
www.unichains.com

Finland
T +358 207 911 400
info@ammeraalbeltech.fi
www.ammeraalbeltech.fi

France
T +33 3 20 90 36 00
client@ammeraalbeltech.fr
www.ammeraalbeltech.fr

Germany
T +49 4152 937-0
sales@ammeraalbeltech.de
www.ammeraalbeltech.de

Hungary
T + 36 1 248 2020
info@ammeraalbeltech.hu
www.ammeraalbeltech.hu

India
T +91 44 265 34 244
info@ammeraalbeltech.net.in
www.ammeraalbeltech.com

Italy
T +39 051 660 60 06
info@ammeraalbeltech.it
www.ammeraalbeltech.it

Luxembourg
T +352 26 48 38 56
sales@ammeraal-beltech.lu
www.ammeraal-beltech.lu

Malaysia
T +60 3 806 188 49
sales.kl@ammeraalbeltech.my
www.ammeraalbeltech.com

Netherlands
T +31 72 57 51212
info@ammeraalbeltech.nl
www.ammeraalbeltech.nl

Poland
T +48 32 44 77 179
biuro@ammeraal-beltech.pl
www.ammeraal-beltech.pl

Portugal
T +351 22 947 94 40
geral@ammeraalbeltech.pt
www.ammeraalbeltech.pt

Singapore
T +65 62739767
sales@ammeraalbeltech.sg
www.ammeraalbeltech.com

Slovakia
T +421 2 55648541-2
predaj@ammeraalbeltech.sk
www.ammeraalbeltech.sk

South Korea
T +82 31 448 3613-7
amel@ammeraalbeltech.co.kr
www.ammeraalbeltech.co.kr

Spain
T +34 93 718 3054
ventas@ammeraalbeltech.es
www.ammeraalbeltech.es

Sweden
T +46 44 780 3010
info@ammeraalbeltech.se
www.ammeraalbeltech.se

Switzerland
T +41 55 2253 535
info@ammeraalbeltech.ch
www.ammeraal-beltech.ch

Thailand
T +66 2 902 2604-13
sales@ammeraalbeltech.th.com
www.ammeraalbeltech.com

United Kingdom
T +44 1992 500550
sales@ammeraalbeltech.co.uk
www.ammeraalbeltech.co.uk

United States
T +1 847 673 6720
info@ammeraalbeltechusa.com
www.ammeraal-beltechusa.com

Solid advice
For all your belting needs
Local stock & service

Conveyor belts

Timing belts

Seamless belts

Transmission belts

Modular belts

Fabrication & service

. . . and 150 service contacts more on www.ammeraalbeltech.com

Date: 02.2011